	Туре	·L#	Hit s	Search Text	DBs	Time Stamp	Co mm ent s	Error Definition
1	IS&R	L1		("(ion\$with(eVorkeVor"electonvolts"))same(d opantorimplant\$3orimplant\$5)").PN.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:12		
2	BRS	L2		(ions with(eV or keV or"electonvolts")) same (dopant or implant\$3 or implant\$5)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:15		
3	BRS	L3		(ions with (eV or keV or "electonvolts")) same dopant	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:15		
4	BRS	L4	637	(ions with (eV or keV or "electonvolts")) same dopant same etch\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:17		
5	BRS	L5	448	4 and @pd<="20030213"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:17		

	-
	Error s
1	
2	
3	
4	
5	

).	Туре	L#	Hit	Search Text	DBs	Time Stamp	Co mm ent s	Error Definition
6	BRS	L6	190	(ions with (eV or keV or "electonvolts")) same dopant same etch\$3 same (known or	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:17		
7	BRS	L7	136	*	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2007/07/ 30 20:18		

	Error s
6	
7	